

# SAFETY DATA SHEET (SDS)

NINGBO JINHAI CHENGUANG CHEMICAL CORPORATION

Thermoplastic Elastomers SIS CAS Number: 25038-32-8

SECTION I	IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND COMPANY	
PRODUCT NAME:	Thermoplastic Elastomers SIS	
Other means of i	dentification:	
	Styrene-Isoprene-Styrene: HAI-SIS JH-8151, HAI-SIS JH-8152, HAI-SIS JH-8153, HAI-SIS JH-8161, HAI-SIS JH-8162, HAI-SIS JH-8291, HAI-SIS JH-9163, HAI-SIS JH-9620.	
CHEMICAL FAMIL	<b>_Y:</b> Thermoplastic Elastomers SIS / Styrene-Isoprene-Styrene Block Copolymer	
CAS NUMBER:	25038-32-8	
RELEVANT USES	Thermoplastic elastomers for Advanced Materials, Adhesives, Sealants &Coatings, and Paving & Roofing.	
MANUFACTURER/SUPPLIER NAME:		
	NINGBO JINHAI CHENGUANG CHEMICAL CORPORATION.	
ADDRESS:	No.2666, Binhai Road, Ningbo Petrochemical and Technological	
	Development Zone, Zhejiang Province. 315207, P.R. China	
WEBSITE:	www.jhvest.com.	
TELEPHONE / FA	<b>X:</b> 0086-574-86363456 / 0086-574-86369000	
Date prepared:	30 March, 2020	

# SECTION 2 HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

Classification (GHS-US) Not classified

## 2.2. Label Elements

Signal word:	None
Pictogram:	None
Hazard statements:	None

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

# SUBSTANCES/MIXTURE\_GENERAL INFORMATION:

# 3.1. Mixture

Products as manufactured are classified as non-hazardous and chemical disclosure is not required by regulation(s). The product contains listed below:

Chemical name	Concentration	Additional identification	Notes
Styrene-Isoprene-Styrene Polymer(SIS)	>99.5%	proprietary	
Additives	<0.5%	not applicable	



тм

SECTION 4 FIRST AID MEASUR	RES	
4.1. Description of First Aid Measures		
First-aid measures after inhalation:	Supply fresh air. Seek medical treatment.	
First-aid measures after skin contact:	Wash hands. If contact with molten product, immediately flush with cool water. Do not pull solidified product off skin. Seek medical treatment.	
First-aid measures after eye contact:	Rinse eyes with water. If contact with molten product, immediately flush with cool water. Seek medical treatment.	
First-aid measures after ingestion:	Do not induce vomiting. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptoms. No specific antidote.

SECTION 5	FIRE FIGHTING	MEASURES
Extinguishing r	nedia :	
Suitable Extingu	ishing Media:	Carbon Dioxide, powder or water spray. For Large fires use foam, water spray and call for fire-fighting assistance.
Unsuitable Extin	guishing Media:	Do not use a solid water stream as it may scatter and spread fire.
Special hazards	s arising from the s	ubstance or mixture
Fire hazard:		Not flammable but will burn. Combustion of products may include carbon monoxide and carbon dioxide.
Explosion hazar	d:	Static charge buildup can be a potential fire hazard when used in the presence of volatile, flammable vapors or in high airborne dust concentrations.
Reactivity:		Non-reactive.
Advice for firef	ighters	
Protection during	g firefighting:	Keep container cool with water. Use standard protective clothing for fire fighters, including

## SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures		
General measures:	If spilled, may cause a slipping hazard. Avoid dust generation. Keep	
	away from ignition sources. Ensure proper ventilation.	

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

For containment:

Shovel, or sweep up or use industrial vacuum cleaner. Products are non-hazardous waste.Proper disposal should be evaluated based on local regulations/legislation or directives.



## Thermoplastic Elastomers SIS CAS Number: 25038-32-8

# SECTION 7 HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING:

Prevent generation of dust. If necessary, wear a dust mask. Use local exhaust above processing areas. Take precautionary measures against static discharge. Earth/Ground processing equipment. Product has a tendency to accumulate static charge during transport, handling and processing. Considering the risks of electrostatic discharges, handling the products in potentially flammable atmospheres should be evaluated. Suitable precautions should be taken at all times, in particular when emptying bags or other packaging. Reducing the velocity of transport will reduce charging. Static charge buildup can be a potential fire hazard when used in the presence of volatile or flammable mixtures. Keep away from ignition sources. If product is processed into smaller particles, explosive hazardous conditions must be evaluated. When processing Jinhai products, maintain a fire watch if material reaches 225°C (437°F). Operating below these temperatures does not guarantee the absence of product degradation. The temperatures listed are indicated only for safety reasons (risk of fire and product degradation) and are not recommended for processing. Degradation of the polymer will start at lower temperatures depending on the specific processing conditions. Wash hands after use. Avoid eating, drinking and smoking in work areas. For more information about processing precautions, consult the Jinhai Data Documents, Static Electricity Bulletin, or other technical literature available from your Sales Representative.

#### STORAGE:

**SE:** Do not store outside. Keep container dry. Keep in a cool, well-ventilated place. Products contain an antioxidant to aide in stabilizing the polymer over its recommended use and storage conditions. Exposure to direct sunlight or elevated temperatures over prolonged periods of time consumes the antioxidant at an increased rate and may lead to self-heating. Do not stack Flexible Intermediate Bulk Containers (FIBCs) or palletized bags. Avoid storage under pressure or at elevated temperatures to minimize particulate clustering. Do not store with alkalis, oxidizers or acids.

SHELF LIFE: 24 months.

SPESIFIC END USE(S):

NO additional information available

### **REFERENCE TO OTHER SECTIONS:** Refer to Sections 8.

## SECTION 8 EXPOSURE CONTROLS, PERSONAL PROTECTION

Appropriate Engineering Controls:	
	Use local exhaust ventilation during processing. When transferring products, earth/ground all subsequent equipment to minimize charges that may develop.
Personal protective equipment:	Gloves. Safety glasses. Protective clothing. Materials for protective clothing : Standard issue work clothes, which may include apron, antistatic safety shoes or boots as necessary.
Eye protection:	Safety glasses with side-shields.
Skin:	Cloth gloves. Use heat protective gloves when handling hot, molten product.
Respiratory protection:	During handling: if dust is generated, a particulate pre-filter is recommended and for high airborne dust concentrations, a cartridge designed for nuisance dust is recommended. During high temperature processing: use local exhaust ventilation when available.



# Thermoplastic Elastomers SIS CAS Number: 25038-32-8

SECTION 9   PHYSICAL AND CHEMICAL PROPERTIES     INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES     APPEARANCE     PHYSICAL STATE:   Solid     PRORM:   Granules/pellets     COLOR:   Light yellow/white     ODOR:   Odorless     ODDR THRESHOLD:   Not determined.     PH:   No data available.     Relative evaporation rate (butyl acetate=1) : Not applicable     Melting point:   Not determined     Freezing point:   Not determined     Boiling point:   Not applicable     Auto-Ignition:   Not applicable     Plammability (solid, gas):   Not applicable     Relative vapor density at 20 °C :   Not applicable     Relative density:   Typically between 0.88 - 0.95 at 20°C     Vapor pressure:   Not applicable     Relative density:   Typically between 0.88 - 0.95 at 20°C     Vapor Density:   Not applicable     Relative density:   Typicalle     Relative density:   Not applicable     Relative density:   Not applicable     Relative density:   Not applicable     Relative density:   Not applicable <th></th> <th></th>			
APPEARANCEPHYSICAL STATE:SolidFORM:Granules/pelletsCOLOR:Light yellow/whiteODOR:OdorlessODOR THRESHOLD:Not determined.PH:No data available.Relative evaporation rate (butyl acetat=1) : Not applicableMelting point:Not determinedFreezing point:Not determinedFash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not data availableSolubility:Insoluble in water.Log Pow:No data availableViscosity, kinematic:Not applicableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	SECTION 9 PHYSICAL AND	CHEMICAL PROPERTIES	
PHYSICAL STATE:SolidFORM:Granules/pelletsCOLOR:Light yellow/whiteODOR:OdorlessODOR THRESHOLD:Not determined.PH:No data available.Relative evaporation rate (butyl acetate=1) : Not applicableMelting point:Not determinedFreezing point:Not determinedFreezing point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES		
FORM:Granules/pelletsCOLOR:Light yellow/whiteODOR:OdorlessODOR THRESHOLD:Not determined.PH:No data available.Relative evaporation rate (butyl acetate=1): Not applicableMelting point:Not determinedFreezing point:Not determinedBoiling point:Not determinedFlash point:Not applicableAuto-Ignition:Not determinedPlammability (solid, gas):Not determinedFlash point:Not applicableAuto-Ignition:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	APPEARANCE		
COLOR:Light yellow/whiteODOR:OdorlessODOR THRESHOLD:Not determined.PH:No data available.Relative evaporation rate (butyl acetate=1) : Not applicableMelting point:Not determinedFreezing point:Not determinedFreezing point:Not applicableBoiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedPlammability (solid, gas):Not determinedFlammability (solid, gas):Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	PHYSICAL STATE:	Solid	
ODOR:OdorlessODOR THRESHOLD:Not determined.PH:No data available.Relative evaporation rate (butyl acetate=1) : Not applicableMelting point:Not determinedFreezing point:Not determinedBoiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	FORM:	Granules/pellets	
ODOR THRESHOLD:Not determined.PH:No data available.Relative evaporation rate (butyl acetate=1) : Not applicableMelting point:Not determinedFreezing point:Not determinedBoiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not aplicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	COLOR:	Light yellow/white	
PH:No data available.Relative evaporation rate (butyl acetate=1) : Not applicableMelting point:Not determinedFreezing point:Not determinedBoiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	ODOR:	Odorless	
Relative evaporation rate (butyl acetate=1) : Not applicableMelting point:Not determinedFreezing point:Not determinedBoiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not data availableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:Not data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	ODOR THRESHOLD:	Not determined.	
Melting point:Not determinedFreezing point:Not determinedBoiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	PH:	No data available.	
Freezing point:Not determinedBoiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:Not dapplicableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Relative evaporation rate (butyl acetate=1) : Not applicable		
Boiling point:Not applicableFlash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:Not applicableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Melting point:	Not determined	
Flash point:Not applicableAuto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not a pplicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:Not applicableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Freezing point:	Not determined	
Auto-Ignition:Not determinedDecomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not a pplicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:Not applicableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Boiling point:	Not applicable	
Decomposition temperature:Not determinedFlammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:Not data availableViscosity, kinematic:Not applicableNot applicableNot applicablePartition Coefficient:Not applicableNot applicableNot applicableViscosity, kinematic:Not applicableNot applicableNot applicable	Flash point:	Not applicable	
Flammability (solid, gas):Not a Flammable SolidVapor pressure:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Auto-Ignition:	Not determined	
Vapor pressure:Not applicableRelative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Decomposition temperature:	Not determined	
Relative vapor density at 20 °C :Not applicableRelative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Flammability (solid, gas):	Not a Flammable Solid	
Relative density:Typically between 0.88 - 0.95 at 20°CVapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Vapor pressure:	Not applicable	
Vapor Density:Not applicableSolubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Relative vapor density at 20 °C :	Not applicable	
Solubility:Insoluble in water.Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Relative density:	Typically between 0.88 - 0.95 at 20°C	
Log Pow:No data availablePartition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Vapor Density:	Not applicable	
Partition Coefficient:No data availableViscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Solubility:	Insoluble in water.	
Viscosity, kinematic:Not applicableViscosity, dynamic:Not applicable	Log Pow:	No data available	
Viscosity, dynamic: Not applicable	Partition Coefficient:	No data available	
	Viscosity, kinematic:	Not applicable	
Explosive Properties:     No data available	Viscosity, dynamic:	Not applicable	
	Explosive Properties:	No data available	

## SECTION 10 STABILITY AND REACTIVITY

**10.1. Reactivity** Non-reactive.

**10.2. Chemical stability** Stable under ambient conditions.

## 10.3. Possibility of Hazardous Reactions

Risk of self-heating and self-ignition under long term exposure to high temperatures: Refer to Section 7.2.

#### **10.4. Conditions to Avoid**

Avoid prolonged exposure to heat or UV light since this may affect product properties. Product will burn when exposed to continuous sources of ignition.

#### **10.5. Incompatible Materials**

Avoid contact with strong acids, alkalis and oxidizing agents.

## **10.6. Hazardous Decomposition Products**

Hazardous vapors from heated product are not expected to be generated under normal processing temperatures and conditions. No hazardous decomposition under ambient temperatures. Although highly dependent on temperature and environmental conditions, a variety of thermal decomposition products may be present if the product is over heated, is smoldering or catches fire. Typical decomposition products are ultimately oxides of carbon.



Thermoplastic Elastomers SIS

SECTION 11 TOXICOLOGICAL INFORMA	TION			
11.1. Information on toxicological effects				
Information on Toxicological Effects Results				
USP Systemic Toxicity Study in Mice – Extract:				
	of systemic toxicity from extracts.			
USP Intracutaneous Study in Rabbits – Extract:				
-	t irritation from the extracts injected intracutaneously			
USP Muscle Implantation Study in Rabbits – 7 Da				
	or toxicity in accordance with USP, General Chapter 88,			
	t. Macroscopic reactions insignificant.			
Cytotoxicity Study using the Colony Assay in Chin				
Test article is not cytotox				
In Vitro Hemolysis Study in Red Blood Cells, Japa				
Test article is non-hemoly				
Skin corrosion/irritation:	Not classified			
	(No data available)			
	pH: Not Applicable (Insoluble)			
Serious eye damage/irritation:	Not classified			
	(No data available)			
	pH: Not Applicable (Insoluble)			
Respiratory or skin sensitization:	Not classified			
	(This product does not cause skin sensitization)			
Germ Cell Mutagenicity:	Not classified			
	(Test extracts considered non-mutagenic)			
Carcinogenicity:	Not classified			
	(No data available)			
Reproductive Toxicity:	Not classified			
	(No data available)			
Specific target organ toxicity (single exposure):	Not classified			
	(No data available)			
Specific target organ toxicity (repeated exposure):	Not classified			
	(No data available)			
Aspiration hazard:	Not classified			
	(Not possible due to product's physical form)			

# SECTION 12 ECOLOGICAL INFORMATION

> 1000 ppm Acute 96-Hour Water Absorbing Fraction (WAF) performed on Rainbow Trout.	
No data available	
nd degradability	
adability Products are inert and non-biodegradable.	
ve potential	
ntial Not expected to bioaccumulate, since it is not soluble in water	
and not biodegradable.	
Not mobile. Remains on surface of soil	



**Thermoplastic Elastomers SIS** 

CAS Number: 25038-32-8

# SECTION13 DISPOSAL CONSIDERATIONS OF THIS PRODUCT

## 13.1. Waste treatment methods

ТΜ

Waste disposal recommendations:

Its size and quantity released may interfere with sewage treatment systems. Recover or recycle if possible. Incinerate or consult a licensed landfill provider. Remove all packaging for recycling or disposal based on local regulations.

# SECTION 14 TRANSPORT INFORMATION

In accordance with DOT Not regulated for transport

## Additional information

Other Information: Special transport precautions: No supplementary information available. None.

### ADR

No additional information available

**Transport by sea** No additional information available

## Air transport

No additional information available



**Thermoplastic Elastomers SIS** 

CAS Number: 25038-32-8

# SECTION 15 REGULATION INFORMATION

# 15.1. US Federal regulations

тм

RQ (Reportable quantity, section 304 of EPA's List of Lists):	Not regulated	
SARA Section 302 Threshold Planning Quantity (TPQ):	Not regulated	
SARA Section 311/312 Hazard Classes:	Not regulated	
SARA Section 313 - Emission Reporting:	Not regulated	
Resource Conservation and Recovery Act - RCRA(40 CFR 261):	Not regulated	
Emergency Planning and Community Right-to-Know Act(EPCRA): Not regulated		
Comprehensive Environmental Response, Compensation and Liability Act (CERCLA/Superfund): Not regulated		

## 15.2. International regulations

CANADA

WHMIS Classification

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required This is NOT a WHMIS controlled product

# 15.2.2. National regulations

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Canadian DSL (Domestic Substances List) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECI (Korean Existing Chemicals Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on NECI (Taiwan National Existing Chemical Inventory)

# 15.3. US State regulations

Clean Air Act Section 111 Volatile Organic Compounds (VOC):Not regulated.Clean Air Act Section 112 Hazardous Air Pollutants (HAP):Not regulated.

# SECTION 16 OTHER INFORMATION

Revision Information:	New SDS
Key literature references and sources for data:	No data available
Training information:	No data available.
Issue Date:	30/3/2020

#### SDS No:

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

# PREPARED BY: TECHNOLOGY CENTER OF NINGBO JINHAI CHENGUANG CHEMICAL CORPORATION.